

Cast-iron access manhole covers.
Specifications

48 5992

01.07.89

1.

1.1.

1.2.

1.2.1.

1.2.2.

1.2.3.

	1	11		
(.1)	35	30		
(.2)	50	50	50	48
(.3)	50	45	50	43
(.4)		35		

3634-89


II 3634-89

II:

1.3.
1.3.1.

— I, (. 2),


— II (. 3)




1 - ; 2 - ; 3 - ; 4 - ; 5 -

. 1

WWW.KWAVRU



1 - ; 2 - ; 3 - ; 4 - ; 5 -




1 - ; 2 - ; 3 - ; 4 -

1.3.2.
 1.3.3. 1412. 15
 1.3.4. 65 - -1,0 10 2283. 45 7293. 40
 1.3.5. 0,8-1,2 26358. 10 3
 5% 10%
 1.3.6. -10- 26645, - 11-
 1.3.7. 2
 1.3.8.
 1.3.9. (3), -150 (15), -250 (25). : -30
 1.4.

-1
 -1
 -1 .()

-5
-1
-1
-5
1.5.
1.5.1.
1.5.2.
- 140±10,
- 80±10,
- 100±10,
- 50±10.
15
1.5.3.
1
14192
(),
1.6.
1.6.1. 21929.
1.6.2.
10 10
4
6-8 3282.
2.
2.1.
2.2.
2.3.
2.4. 3%, 2
2.5. 3 2
2.6.



3.

3.1.

3.2.

3.3.

3.4.

3.5.

10

3.6.

4.

4.1.

4.2.

4.3.

4.4.

5.

5.1.

5.2.

5.3.

6.

6.1.

6.2.

500

23711

263.

882.

0,4

6521.

200

500 — 600

9347


7338


3,0

30

1

15150.





D	D_1	H_1	B			
770	900	626	400	650	350	300
870	1200	646	500	695	500	500
					500	450

1

2.

06.04.89 62

3.

3634-79

4.

882-75	3.4	9347-74	3.6
1412-85	1.3.3	14192-77	1.5.3
2283-79	1.3.4	15150-69	4.4
3282-74	1.6.2	21929-76	1.6.1
6521-72	3.5	23711-79	3.3
7293-85	1.3.3	26358-84	1.3.5

www.ik2-kaz.ru