



PN 1,6 (16 / ²)
,



www.ik2-kaz.ru

1.

1.1 :
32 01 DN 50, 80, 100; PN 1,6 (16 / 2)
3721-001-08832266-2011
1.3 : 1,6 (16 / 2)
+100° (. 1).

N	/ 2	16		
P		24		
		16	14,5	13,2
	°	60	80	100
26-07-817-73				
	2, 4			
	-15° +40° ;		+1° +40°	

1.4 2 1. 2

DN,									
	L	B	B ₁	H	H ₁	D ₁	d	n	
50	210	46	122	158	221	125	18	2	2,7
80	210	50	147	170	240	160	18	2	3,6
100	262	55	105	215	320	180	18	4	6,2

1.5 54432-2011; 12820-80.

1.6 = 1,76 (17,6 / 2).
C 9544-2005,
3. 3
1.7

	DN50	DN80	DN100
	0,09	0,144	0,180

1.8 P = 2,4
(24 / 2).
2 12521-89.
7



476614
-2
, 420022, , ,
(843) 278-24-35
(843) 277-32-40, 278-96-49 e-mail: market-ik2@mail.ru
www.kazan-zadvigka.ru ;
www.ik2-kaz.ru, [www. 2-](http://www.2-)



7.

7.1.

5.

5

1.		
2.		

1.9

2.

2.1. DN ____

3721-001-08832266-2011

2.2.

2.2.1.

2.2.2.

2.2.3.

2.3.

2.4.

-9

-24

1000

12.2.063-81

8.

8.1.

1

3.

3.1.

8.2

5 (4) 15150-69.

8.3


14192-96.

9.

-2


6

3



4.

4.1.



- 1-
- 4-
- 7-
- 10-
- 13,14-
- 2-
- 5-
- 8-
- 11-
- 15-
- 3-
- 6-
- 9-
- 12-

		18		1412-85
	20	13	5632-72	3 380-94
		3	19903-88	
		.3	380-94	
	18		1412-85	
			70	
			494-90	
	5	32.20	13	24296-93
		.3		380-94
	60	2	-2	-1.0 3282-74
	8-6g	25.21		1491-80
	6-6g	14.21		7798-70
	6-6	.60		92-742-72
	6		3-1	6402-70

5.

5.1.

5.2.

5.3.

5.4.

6.1.

6.2.

6.2.1.

6.3.

6.4.

6.5.

6.6.

6.7.

12.2.063-81.

12820-80.